

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|----------|------------------|---------|------------------|
| L1 | 9 | @ad<"20010604" and ((data attack) adj signature and security and network and (monitor\$5) and alert) | US-PGPUB | OR | ON | 2007/02/02 16:19 |
| L2 | 23 | @ad<"20010604" and ((data attack) adj signature and security and network and (monitor\$5)) | US-PGPUB | OR | ON | 2007/02/02 16:20 |
| L3 | 23 | @ad<"20010604" and ((intrusion data attack) adj signature and security and network and (monitor\$5)) | US-PGPUB | OR | ON | 2007/02/02 16:20 |
| L4 | 0 | @ad<"20010604" and ((data attack) adj signature and security and network and (monitor\$5)).clm. | US-PGPUB | OR | ON | 2007/02/02 16:20 |
| L5 | 0 | @ad<"20010604" and ((intrusion data attack) adj signature and security and network and (monitor\$5)).clm. | US-PGPUB | OR | ON | 2007/02/02 16:20 |
| L6 | 0 | @ad<"20010604" and ((data attack) adj signature and security and network and (monitor\$5)).clm. | US-PGPUB | OR | ON | 2007/02/02 16:20 |
| L7 | 2 | @ad<"20010604" and (signature and security and network and (monitor\$5)).clm. | US-PGPUB | OR | ON | 2007/02/02 16:20 |
| L8 | 8 | @ad<"20010604" and ((attack intrusion) and network and (monitor\$5)).clm. | US-PGPUB | OR | ON | 2007/02/02 16:20 |
| L9 | 5 | @ad<"20010604" and ((attack intrusion) and network and (alert)).clm. | US-PGPUB | OR | ON | 2007/02/02 16:20 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|---|--|------------------|---------|------------------|
| L1 | 44 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and passwd | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:15 |
| L2 | 67 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and unknown near2 (command packet) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:16 |
| L3 | 16 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and application adj layer and "713"/\$.ccls. and attack\$2 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:16 |
| L4 | 5214904 | @ad<"20010604" | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:15 |
| L5 | 0 | L4 and 713/200.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:15 |
| L6 | 0 | L5 and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:15 |
| L7 | 5214904 | @ad<"20010604" | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:15 |
| L8 | 16391 | L7 and ("726"/\$.ccls. "713"/\$.ccls.) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:15 |
| L9 | 39 | L8 and application near2 (level layer) same attack | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:15 |
| L10 | 5214904 | @ad<"20010604" | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:16 |
| L11 | 202 | L10 and 726/23,25.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:16 |

EAST Search History

| | | | | | | |
|-----|---------|---|--|----|----|------------------|
| L12 | 0 | 4 and (alert severity warning) with value same network with intrusion | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:17 |
| L13 | 4 | 4 and (alert severity warning) with (value code) same network with intrusion | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:17 |
| L14 | 19 | 4 and (alert severity warning) with value and network with intrusion | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:17 |
| L15 | 36 | 4 and (alert severity warning) with value and network with (attack intrusion) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:17 |
| S1 | 5149165 | @ad<"20010604" | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 14:27 |
| S2 | 0 | S1 and 731/201.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 14:27 |
| S3 | 1686 | S1 and 713/201.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 14:27 |
| S4 | 270 | S3 and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/09/12 13:38 |
| S5 | 1615 | S1 and 713/200.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 14:28 |
| S6 | 985 | S1 and 709/225.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 14:28 |
| S7 | 1860 | S1 and 709/223.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 14:28 |
| S8 | 112 | S5 and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 14:28 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|-----|------------------|
| S9 | 181 | S6 and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 14:28 |
| S10 | 646 | S7 and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 14:28 |
| S11 | 30 | (S4 S8 S9 S10) and attack with signature | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 14:29 |
| S12 | 16034 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/11/17 14:25 |
| S13 | 0 | "/cgi-bin/phf" | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/21 12:07 |
| S14 | 30 | (@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3)) and (attack intrusion) near2 signature | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 09:25 |
| S15 | 1 | "5991881".PN. | USPAT | OR | OFF | 2004/10/21 15:15 |
| S16 | 57 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and unknown near2 (command packet) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2006/08/07 09:55 |
| S17 | 0 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and (send sent transmit\$2) with root with shell | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 09:31 |
| S18 | 73 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and (send sent transmit\$2) with root | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 10:45 |
| S19 | 0 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and (send sent transmit\$2) with root near2 (prompt shell) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 09:41 |
| S20 | 0 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and (send sent transmit\$2) with root near2 (prompt shell access) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 09:41 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| S21 | 6 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and (detect\$2) near2 http | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 12:38 |
| S22 | 0 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and (detect\$2) near2 passwd | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 12:39 |
| S23 | 39 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and passwd | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 12:39 |
| S24 | 16 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and passwd and ftp | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 12:47 |
| S25 | 13 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and passwd and ftp not "etc/passwd" | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 12:40 |
| S26 | 3 | ((@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and passwd and ftp) not (@ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and passwd and ftp not "etc/passwd")) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 12:47 |
| S27 | 7 | (US-6725377-\$ or US-6279113-\$ or US-6301668-\$ or US-5991881-\$ or US-6728886-\$).did. or (US-20020199114-\$ or US-20020083331-\$).did. | US-PGPUB; USPAT | OR | OFF | 2004/10/28 13:09 |
| S28 | 2 | ((US-6725377-\$ or US-6279113-\$ or US-6301668-\$ or US-5991881-\$ or US-6728886-\$).did. or (US-20020199114-\$ or US-20020083331-\$).did.) and rpc | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2004/10/28 13:09 |
| S29 | 785 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and application adj layer | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/04/29 15:26 |
| S30 | 64 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) same application adj layer | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/04/29 15:21 |
| S31 | 67 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and application adj layer and "713"/\$.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/04/29 16:08 |

EAST Search History

| | | | | | | |
|-----|---------|---|--|----|----|------------------|
| S32 | 23 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and application adj layer and "713"/\$.ccls. and attack\$2 | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/04/29 16:09 |
| S33 | 5176530 | @ad<"20010604" | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/09/12 13:39 |
| S34 | 0 | S33 and 713/201.ccls. | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/09/12 13:39 |
| S35 | 0 | S34 and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/09/12 13:39 |
| S36 | 0 | S35 and ((alert priority) with signature with (table)) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/09/12 13:39 |
| S37 | 0 | S35 and ((alert priority) with signature with (list database table)) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/09/12 13:40 |
| S38 | 0 | S35 and ((alert priority) with (list database table)) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/09/12 13:40 |
| S39 | 16749 | S33 and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/09/12 13:39 |
| S41 | 1 | S39 and ((alert priority) with signature with (list database table)) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/09/12 13:40 |
| S42 | 1 | "6928377".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2005/11/17 14:12 |
| S43 | 1 | "6928277".pn. | US-PGPUB; USPAT; USOCR; EPO; IBM_TDB | OR | ON | 2005/11/17 14:13 |

EAST Search History

| | | | | | | |
|-----|---------|--|--|----|----|------------------|
| S44 | 1278 | @ad<"20010604" and network adj security and table | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2006/08/08 10:18 |
| S45 | 19 | @ad<"20010604" and adapt\$4 with network adj security and table | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/11/17 14:28 |
| S47 | 48 | @ad<"20010604" and ("713"/\$.ccls. "726"/\$.ccls.) and network adj security and table with (vulnerability attack exploit policy) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/11/17 14:42 |
| S48 | 17 | @ad<"20010604" and ("713"/\$.ccls. "726"/\$.ccls.) and network adj security and table with (vulnerability attack exploit) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/11/17 14:46 |
| S49 | 14 | @ad<"20010604" and ("713"/\$.ccls. "726"/\$.ccls.) and intrusion adj detection and table with (vulnerability attack exploit) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2005/11/17 15:12 |
| S50 | 89 | @ad<"20010604" and (network) near3 (monitor\$3 surveillance analyz\$5 screen\$3) and application adj layer with (level priority alert) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2006/08/07 10:22 |
| S51 | 17 | S50 and ("726"/\$.ccls. "713"/\$.ccls.) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2007/02/02 16:15 |
| S52 | 5199810 | @ad<"20010604" | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2006/08/07 13:10 |
| S53 | 15987 | S52 and ("726"/\$.ccls. "713"/\$.ccls.) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2006/08/07 13:11 |
| S54 | 3 | S53 and application near2 (level layer) with signature same attack | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2006/08/07 13:40 |
| S55 | 36 | S53 and application near2 (level layer) same attack | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2006/08/07 13:40 |
| S56 | 5 | @ad<"20010604" and 726/25.ccls. and severity with (level value) | US-PGPUB; USPAT; EPO; IBM_TDB | OR | ON | 2006/08/08 10:19 |